







May 21, 2024

#### **Table of Contents**

HANDLING INSTRUCTIONS	4
RECORD OF CHANGES	5
INTRODUCTION	6
Purpose	
Whole Community Approach	
Intended Audience	
People with Disabilities and Access and Functional Needs	
Assumptions	
Types of Animals	9
ROLES AND RESPONSIBILITIES	
Sacramento Operational Area	
Sacramento County Animal Care Services	
Other Animal Control Agencies	
Sacramento County Agricultural Commissioner	
Sacramento County OES	
Sacramento County Public Health	
Law Enforcement	
Sacramento County Fire Agencies	
Cities	
American Red Cross	
California Veterinary Medical Reserve Corps	
California Veterinary Emergency Team (CVET)	
Community-Based and Non-Government Organizations	
Concept of Operations	
Activation Authority	14
Protocols for Animal Shelters	
Large Increase in Shelter Population	
Euthanasia	
Carcass Disposal	
Shelter Set Up	
Animal Intake	
Triage, Registration, and Identification	
Health & Safety	
Facility Safety and Security	
Animal Care	
Cleaning	
Feeding	
Animal Transportation	
Livestock Management	
Commercial Animal Agriculture Operation Access	
Animal Documentation Guidelines	
Utilization of Animal Rescue Volunteers	26
DEMOBILIZATION	26
Shelter Closures	27

Redistribution of Supplies	27
Removal and Disposal of Animal Carcasses	27
Procedures for Unclaimed Animals	27
Final Data Collection	28
ANNEX MAINTENANCE	28
Annex Distribution	
Annex Updates	28
Annex Testing, Training, and Exercises	29
AUTHORITIES AND REFERENCES	30
ATTACHMENTS	31

#### HANDLING INSTRUCTIONS

- 1. The title of this document is the *Animal Sheltering Annex*
- 2. The information gathered herein is to be used for training and reference purposes within the Sacramento Operational Area (OA). Reproduction of this document, in whole or in part, without prior approval from the Sacramento County Office of Emergency Services is prohibited.
- 3. Alternative formats (e.g. Large Print) can be made upon request with the point of contact below.
- 4. Point of Contact:

#### **Sacramento County Office of Emergency Services**

JASON R. D'ALESSIO

OES Coordinator (916) 874-7043 DAlessioj@saccounty.gov

#### **RECORD OF CHANGES**

#	DATE	NAME	SUMMARY	
1	March 22 '24	J. D'Alessio	Introduction: Added AFN needs	
2	March 22 '24	J. D'Alessio	Roles & Responsibilities: Added Cities, Red Cross, Cal Vet Med Res Corps, Cal Vet Emergency Team, CBO/NGOs	
3	March 22 '24	J. D'Alessio	Concept of Operations: Added Activation Authority	
4	March 22 '24	J. D'Alessio	Added Protocols for Animal Shelters Section, and: Large Increase in Shelter Population, Euthanasia, Shelter Set Up, Animal Intake, Triage/Registration/Identification, Health & Safety, Cleaning, Feeding, Animal Transportation, Livestock Management, Commercial Animal Agriculture Operation Access, Animal Documentation Guidelines, Utilization of Animal Rescue Volunteers	
5	March 22 '24	J. D'Alessio	Added Demobilization Section, and: Shelter Closures, Redistribution of Supplies, Procedure for Unclaimed Animals, Final Data Collection	
6	March 22 '24	J. D'Alessio	Added Annex Maintenance Section, and: Annex Distribution, Annex Updating, Annex Testing/Training/Exercising	
7	March 22 '24	J. D'Alessio	Added Authorities and References Section	
8	March 22 '24	J. D'Alessio	Added Attachments	

#### INTRODUCTION

Sacramento County is home to a wide array of disasters such as floods, fast moving grass fires and severe weather. It has become widespread knowledge from past disasters that often people will not evacuate their homes unless they can bring their pets and livestock with them. For many people, pets are considered a member of the family. No one wants to leave animals behind, and when asked to do so, many owners will risk their own lives and the lives of others to save their animals. When people are unwilling to enter a shelter, or refuse to evacuate during an emergency, they remain at risk and place rescue workers at risk. Additionally, many who own livestock are not prepared with specialized transport and holding areas, which may be difficult or impossible to arrange during a disaster.

Disaster preparedness strategies for pets and livestock safety must be in place before a disaster occurs. Disaster preparedness for animal safety can reduce undue loss and suffering of animals, which lessens additional trauma to victims already suffering from the disaster. State and local governments are increasingly realizing that planning for the evacuation and sheltering of animals in any disaster is essential to the well-being of all residents.

The Sacramento County Animal Sheltering Annex is designed as a countywide document to be annexed to the Sacramento County Emergency Operations Plan. This Annex will provide an overview and guidance for the care and sheltering of animals following a major disaster. This Annex can be adapted for local jurisdictions within Sacramento County.

The planning for this Annex was largely completed by review of statewide and national Animals in Disaster Committees, and groups representing public, private and non-profit animal care agencies throughout California and the United States. The various committees and templates have provided guidance and resources for the development of this plan.

#### **Purpose**

This Annex is designed to assist the Sacramento Operational Area in preparing for the care and sheltering of animals before, during and after a disaster. This document outlines guidance for the care and sheltering of animals throughout the County in a major disaster.

The purpose of this Annex is to:

- Provide standardization for protocols and practices for evacuating and sheltering animals in a disaster in Sacramento County and its local jurisdictions;
- Provide direction for the overall coordination of resources for animal care in the OA:
- ➤ Ensure the planning for animal care is included within and consistent with the Standardized Emergency Management System (SEMS) and the National Incident Management System (NIMS), both in the County/OA and in the field; and
- Identify key players and resources for sheltering animals in a disaster.

#### Whole Community Approach

The whole community concept is a process by which residents, emergency management representatives, organizational and community leaders, and government officials can understand and assess the needs of their respective communities and determine the best ways to organize and strengthen their resources, capacities, and interests. Engaging in whole community emergency management planning builds a more effective path to societal security and resilience. This Annex supports the following whole community principles:

- Understand and meet the needs of the entire community, including people with disabilities, the elderly, and people with other access and functional needs;
- Engage and empower all parts of the community to assist in all phases of the disaster cycle; and
- Strengthen what works well in communities daily.

In keeping with the whole community approach, this Annex was developed with the guidance of representatives from the OA cities and representatives from county departments, law enforcement, fire services, emergency management, the access and functional needs communities, and various other stakeholders. The effectiveness of the emergency response is largely predicated on the preparedness and resiliency of the community. Community resiliency consists of three key factors:

- ➤ The ability of first responder agencies (e.g., Emergency Medical Services (EMS), fire, and law) to divert from their day-to-day operations to the emergency effectively and efficiently;
- ➤ The strength of the emergency management system and organizations within the OA, to include Emergency Operations

- Centers (EOCs), mass notification systems and communication systems; and
- ➤ The civil preparedness of the OA's citizens, businesses and community organizations.

Focusing on enhancing all three of these components constantly focuses the OA on improving the region's resiliency.

#### Intended Audience

The intended audiences for this document are the agencies and jurisdictions within the Sacramento OA that have a role in ensuring animals are evacuated, cared for and returned home in a disaster.

#### People with Disabilities and Access and Functional Needs

In a catastrophic event, it is expected that alert and warning protocols will be in place to address and meet various access and functional needs, particularly as they relate to the ways in which messages are conveyed to the public such as in another language, for the deaf and or hard of hearing, the blind, elderly and many other formats. Some of the methods available are as follows:

- > TTY/TTD;
- > Font size;
- Color analyzer;
- Sound & vibrations;
- > Flashes:
- Use of attachments (video);
- > 508 compliance (use of screen-readers);
- Posting of accessible electronic content, documents, and videos; and
- Video relay as an option.

#### **Assumptions**

In disasters, the priority is the protection of life, property and the environment. This has not historically always included planning for the coordinated response for the evacuation, care and sheltering of animals. Based on previous experiences with disaster and local planning efforts, the following planning assumptions are made regarding animals in disaster:

- Local resources within Sacramento County will be very limited the first few days following a major disaster
- Many residents assume government resources will be available to rescue them and their pets in an emergency

- Most pet owners do not make evacuation plans and have not stockpiled resource and supplies to care for their pets
- > Evacuation orders may not give information about taking pets
- A percentage of pet owners will fail to evacuate because of their animals
- Many pet owners will arrive at human shelters with their pets
- Some pet owners, especially those with livestock, will leave pets behind
- > Service animals will be allowed in human shelters
- All other pets and animals will typically not be allowed in human shelters
- ➤ A large number of animals will need shelter and will arrive without provisions
- Many owners will be separated from their animals because of the disaster
- Animals will arrive at shelters without medical history
- > There will be an increased danger of disease and contamination

#### Types of Animals

The California Animal Response Emergency System (CARES) defines "animals" as "affected commercial livestock, companion animals, exhibition animals, captive wildlife, and exotic pets." This definition is used for state level response activities. Service animals, defined by the American with Disabilities Act (ADA) as guide dogs, signal dogs and other animals trained to aid individuals with disabilities are exempt from restrictions with regards to facility and transportation access. Service animals should never be separated from their handlers.

For the purposes of the protocols outlined in this Annex, animals will be categorized by the following species:

- Dogs and cats
- Rabbits/small mammals
- Reptiles/amphibians
- Domestic/exotic birds
- ➤ Horses/equine
- Chickens/other fowl
- Livestock/farm animals
- Other exotic pets

#### **ROLES AND RESPONSIBILITIES**

#### Sacramento Operational Area

Serving as the lead for the County/OA, the County of Sacramento is responsible for coordinating and managing resources in the County during a disaster. The County is the primary point of contact for allocating resources within the jurisdictions of Sacramento County and requesting resources from the state.

The Operational Area includes all the cities and special districts such as schools, water and reclamation districts. Both within the EOC and at the scene of the disaster, the Incident Command System (ICS) will be used to manage response activities.

The County has one mobile animal shelter trailer that may be deployed in support of local operations throughout the County. The allocation and deployment of these resources will be determined by the County and coordinated by the EOC.

#### Sacramento County Animal Care Services

- Develop and maintain a plan for coordinating animal search, rescue, and evacuation.
- ➤ Develop and maintain a plan for large animal care and shelter in coordination with the Agricultural Commissioner.
- Develop and maintain a plan for small animal care and shelter in coordination with the Mass Care Coordinator.
- Coordinate notification of other team members during an emergency.
- Assess the magnitude of the impact of the incident on animals, and assess response activities, and resources status. Regularly report status to the Sacramento County EOC.

#### Other Animal Control Agencies

- Conduct search, rescue, and transportation of cats and dogs as required by an emergency.
- ➤ Keep Sacramento County Animal Care Services informed of response activities.
- Request assistance from Sacramento County Animal Care Services as needed.

#### Sacramento County Agricultural Commissioner

- Assist in educational efforts to notify livestock industries of preparedness and response procedures.
- > Maintain a list of resources and personnel available to assist local

- and state jurisdictions in the response and recovery phases in emergencies affecting significant numbers of livestock.
- Assist in providing coordination of information with state and federal agencies.
- ➤ Determine high-density animal populations at high risk in the event of an emergency.
- ➤ Coordinate with Animal Care Services, American Red Cross, and Mass Care Coordinator in developing a plan and priority in transporting animals to animal care facilities when owners are evacuated to shelters.

#### Sacramento County OES

- ➤ Integrate messages and information regarding animal owner preparedness into disaster preparedness training and education.
- ➤ If necessary, in coordination with Animal Care Services, establish a call center number for animal retrieval and other animal-related information.
- ➤ Serve as liaison between local jurisdictions and response agencies, CalOES and other appropriate state and federal agencies for requesting resources when the capabilities of local response agencies are exceeded.
- ➤ Integrate the concepts of operation in this plan into emergency management training programs as appropriate.
- > Debrief participants and prepare after action reports.

#### Sacramento County Public Health

- Track notifiable and reportable conditions in animals that lead to human disease
- > Act as liaison to California Department of Public Health.
- > Advise on human health issues and procedures for management of animal wastes and dead animals.
- Provide recommendations to assure adequate vaccination of animal care workers when available

#### Law Enforcement

- Provide personnel and equipment resources as available and only after human health and safety issues have been fully addressed.
- ➤ Coordinate with Animal Care Services and other animal rescue responders in the management of animal search, rescue, and evacuation operations.
- ➤ As resources allow, provide law enforcement support for road closures, operating isolation facilities, decontamination

- operations, animal depopulation actions, and closing feedlots.
- Provide personnel in restriction of entry into the restricted or quarantined area.

#### Sacramento County Fire Agencies

- Provide personnel and equipment resources as available and only after human health and safety issues have been fully addressed.
- Provide support to animal control agencies in rescue of trapped animals.

#### Cities

Local government is often the first point of contact for residents needing help or services in an emergency. Local government may have limited capacity or resources to meet the needs of evacuating and sheltering animals in a disaster. Some jurisdictions in Sacramento County have animal response plans, animal shelters and animal control divisions and/or officers. Through their city EOC, local jurisdictions may request assistance from the County/OA EOC with setting up temporary animal shelters.

City government staff may also help provide services, such as communications, animal control resources or volunteer coordination to assist with countywide response efforts.

#### American Red Cross

The American Red Cross (ARC) works with the County Mass Care Coordinator to provide shelter and mass care services to residents throughout Sacramento County. ARC generally assumes the responsibility to help government with care and shelter operations. Initially in a disaster, some shelters may be opened by ARC and some may be opened by city/county staff and then turned over to ARC as additional resources become available to help with local response. The ARC liaison in the EOC will coordinate with other agencies. In the EOC, the ARC Liaison will work with the County Mass Care Coordinator and Animal Care Services to co-locate animal shelters with human shelters as much as possible to minimize the added stress of separating pets from their owners. Sacramento County Mass Care Coordinator and Animal Care Services in partnership with the ARC has pre-identified locations for potential animal shelters to accommodate both companion and large animals.

#### California Veterinary Medical Reserve Corps

The California Veterinary Medical Reserve Corps (CVMRC) provides guidelines for disaster preparedness sheltering and veterinary care of animals. They also operate local networks that serve as preparedness and response resources to OAs. The CVMRC Program consists of a network of veterinary professionals who are prepared to provide veterinary care for rescue, evacuation, treatment and shelter of animals. In the event of an emergency or disaster a request is made to activate the CVMRC all coordination of these assets is made through the jurisdictional authority. The CVMRC is called upon to assist in the response and provide expertise from the veterinary standpoint.

#### California Veterinary Emergency Team (CVET)

California Veterinary Emergency Team (CVET) can provide veterinary assistance when local resources are overwhelmed during disasters throughout the state of California. The program, administered by the UC Davis One Health Institute within the School of Veterinary Medicine, supports and trains a network of government agencies, individuals and organizations to aid domestic animals and livestock during emergencies.

#### Community-Based and Non-Government Organizations

Community Based Organizations (CBO) and Non-Government Organizations (NGO) are integral to disaster response. Sacramento County Animal Care Services maintains an ongoing list of CBOs and NGOs that offer services and resources in the County/OA for the protection and well-being of animals as well as those that operate volunteer networks which may be available to assist local disaster efforts.

#### **Concept of Operations**

Sacramento County recognizes the critical importance of coordinating animal evacuation and shelter services during the response to an emergency or disaster. When the Sacramento County/OA EOC is activated, the Animal Unit in the Operations Section, Care and Shelter Branch may be activated to support city or county response operations. The EOC Animal Coordinator will serve as the single point of contact on all animal issues in the OA. This position is staffed by the Sacramento County Department of Animal Care Services or designee. The Sacramento County OA EOC's Animal Coordinator will employ one or more of the following response strategies to meet the needs of animals and the broader community in disaster:

- Work with the Public Information Officer (PIO) to disseminate information to the public regarding the evacuation and care of animals
- Coordinate the evacuation of animals, as needed and as possible, and manage access by animal rescue staff to restricted areas.
- Coordinate resources within the OA to support local jurisdictions
- ➤ If resource needs cannot be met with resources within the OA, coordinate resources requests in accordance with SEMS/NIMS operating procedures
- Assess the status of animal shelters site options and establish additional locations as needed in coordination with the Mass Care Coordinator in the OA EOC
- Coordinate and provide information for Public Health decisions
- Coordinate the deployment of county mobile shelters and field operations resources
- ➤ Identify and coordinate veterinary service needs
- Assist with identification of vendors for procurement of animal supplies with the Logistics Section in the OA EOC
- Coordinate agriculture related activities, such as response, sheltering, and feeding of livestock with the ESF-11 Coordinator

#### **Activation Authority**

The activation of this Annex shall be at the request of the local animal control and/or initiated by the Director of the County of Sacramento Department of Animal Care Services or designee. Coordination with the Sacramento County EOC/Operational area activation will be coordinated directly via the Director of Animal Care Services and OES Management.

#### **County EOC**

The County/OA EOC is activated when a disaster occurs to coordinate resource requests, resource management and information sharing. The County/OA EOC is staffed by county employees with emergency responsibilities, as well as representatives from other agencies and jurisdictions. The Animal Unit is normally activated when the EOC is fully activated or when needed.

#### City EOCs

A city can activate the city EOC in response to local events. A city animal control agency may request the activation of this Annex to support local response operations. City plans may call for an animal control representative to be present when its EOC is activated.

On scene, the respective animal control agency is responsible for animal care and control operations. If the scope of an incident overwhelms the initial responding animal control agency, that agency would expand operational procedures and activate this Annex. The request for activation of this Annex would flow from the field to the city EOC to the County/OA EOC.



#### **Protocols for Animal Shelters**

Managing and Prioritizing Shelter Population and Evacuation
Depending on the damage to existing shelters, it may be necessary to
evacuate animals to a temporary shelter or other interim location.
Animals should be removed in an order that is in the best interest of
the animals, the public, and the shelter.

#### Large Increase in Shelter Population

If a shelter has not been affected by the incident, immediate preparations should be made to house a large increase in animals. When possible, animals in the shelter prior to the incident should be evacuated so they will not share wards with incoming animals. This is especially important in an emergency in which the potential for the spread of disease is significant, such as flooding. A second dog may need to be housed with a single dog, but more than two dogs should

not be housed together unless necessary. Cats should not be housed in the same cage unless they were previously housed together, and if there is sufficient space within the cage. Sick animals in the shelter before the incident should not be mixed with the general population, but it may be necessary for bite quarantine animals, protective custody/legal pending animals, and strays and adoptable animals to be housed together. After animals have been evacuated, empty kennels should be cleaned with pressurized water and bleach and supplied with water, food, and beds or blankets.

#### Euthanasia

In the event of sheltered animal's euthanasia, documentation is necessary to include animal description, photo to ensure proper identification. Euthanasia can only be performed by a veterinarian, trained veterinary technician, certified euthanasia technician, or trained animal control officer using standard and accepted euthanasia protocols.

#### Carcass Disposal

Prior to disposal, effort should be made to determine pet and/or owner identification. Attempts should be made to notify identified owners of the animal's death. Types of identification can include collars, tags, licenses, microchips or tattoos on ears or bellies. Each animal should be photographed upon intake (minimum of 2 photos to include a face and profile shot).

Proper disposal of animal carcasses is critical in:

- Preventing the spread of disease in other animals
- Potential contamination
- > Public health to avoid potential harmful environmental effects

Dumpsters or 55-gallon drums are to be utilized for disposal of animal remains. Drums are to be maintained in a secure, separate location away from healthy animals. Pending the conditions of the disaster, a rendering service will be coordinated for pick up. If available, it is suggested that drums be placed in a refrigeration unit ordered specifically for the animal remains.

Although all efforts should be made to use a freezer or refrigerated truck to store dead animals, it may not be possible. If a freezer or refrigerated truck is not available, the animals must be securely tied in several thicknesses of plastic bags and kept at a distance to not pose a health risk. Fly spray should be used often. The animals should be

moved to a freezer at the shelter when possible or picked up by an animal disposal company.

#### Shelter Set Up

The sheltering capability is a large and complex component of the overall disaster response. Some major aspects of sheltering include intake, triage, routine care, veterinary care, biosecurity, inventory control, communication with the public, and owner reunification.

Shelter set up is dependent upon the type of disaster and types of species being sheltered. There are 4 types of emergency animal shelters:

- Collocated Shelter: people and their pets are kept at the same location but separate rooms or buildings
  - Service Animals must never be separated from their owners
- Proximate Animal Shelter: shelters located near human shelters
- ➤ Open Shelter: shelters in which both "owned" and "non-owned" animals are cared for. This includes existing animal shelters.
- ➤ Shelter in Place: keeping animals, primarily livestock, where they are while delivering food and veterinary care.

After the decision has been made to activate a temporary animal shelter, the requesting jurisdiction can coordinate with the OES Duty officer or County EOC to select the location(s). Decisions will be based upon the type of disaster, scale of disaster and available options for one or more sheltering locations. During an EOC activation the Section Chiefs should then work together to staff the shelter, supply it adequately, and work with the Public Information Officer to notify the public and media that it is available. The Safety Officer should inspect the facility and its grounds for safety issues. The Animal Care Unit should assign animal shelter positions to staff and volunteers, create staffing schedules, obtain the appropriate forms, and reference the task list for setting up the shelter.

#### Animal Intake

Intake processes are crucial at the beginning of all animal sheltering. Tracking animals from the first contact through the process is of the utmost importance. Each step in the process from intake to exit must be tracked and documented. Depending on the type of shelter or animal that is coming to the shelter the steps may vary, however the concept of emergency sheltering and animal tracking will be similar in all instances. The necessary steps are as follows:

#### Triage, Registration, and Identification

The intake process initiates the triage, registration, and care of animals. Animals may be brought in by the owner, in person; by a third party; or by an unknown owner. A full description of the animal will need to be documented to include species and breed, gender, color, and other information used to identify the animal. The description along with any available identification needs to be recorded and kept in the animal's file. Types of identification can include collars, tags, licenses, microchips or tattoos on ears or bellies. Each animal should be photographed upon intake (minimum of 2 photos to include a face and profile shot). Cats and dogs without a microchip must be implanted with one during intake and documented.

#### Health & Safety

Trained shelter staff will need to handle animals that may have bitten within the last ten days; have been reported as aggressive by the owner; shows signs of aggression; are extremely difficult to handle; or shows signs of physical pain. These animals may need to be kenneled immediately and quarantine protocols initiated as needed.

Immediate medical concerns can be detected by examining the eyes, ears, skin, teeth, nose, and paws. Animals with contagious or zoonotic conditions should receive prompt attention. Animals should be vaccinated according to the instructions from the veterinary staff.

Injuries to disaster service workers or volunteers must be reported and filed within 24 hrs. If any sworn disaster service workers / volunteers are injured while at an animal shelter, they must notify the shelter manager immediately and seek care. The shelter manager must then immediately notify the EOC who will direct the information to the Sacramento County OES Disaster Service Worker (DSW) Authorized Designee (AD). The DSW AD will then investigate to determine if a Worker's Compensation Claim is warranted. If warranted, the DSW AD must provide the volunteer with the State Fund 3301 Form within one calendar day of injury knowledge.

#### Facility Safety and Security

While animals need adequate exercise and socializing, it is important to maintain a safe and secure facility. The safety and security of a facility can be affected by many unskilled volunteers and untrained owners. Volunteers who care for and feed the animals need to be well-oriented to the shelter's procedures and protocols. Examples of potential problems include overfeeding, under cleaning and trying to

handle large or unruly dogs. Photographs and videography are prohibited unless otherwise approved by shelter manager.

#### Animal Care

The manager of a temporary shelter should determine who may have access to the animals. Although it may not be possible to have locks on every cage and kennel, creating identification system is necessary to appropriately remover animals from holding areas.

All animals should be housed with their identification documentation and an Animal Care Log (Attachment 3), used to record feeding, cleaning, and socialization. The Animal Care Coordinator should create protocols for determining which animals can be taken out of their cages or kennels, how much time they may be out, which activities are allowed, and the labeling system on the cage or kennel that is used to indicate that an animal is out. The Animal Care Coordinator should physically count the animals on the premises at least twice a day and document the count in the log. Counting can quickly identify animals that may be improperly housed or missing. Although a temporary shelter is a 24-hour operation, animals need periods of darkness and quiet. Exercise, feeding, and animal counts should be scheduled during the day, while night activity is limited to veterinary issues.

#### Cleaning

During emergencies, the risk of the spread of disease may be increased. Cleaning of the housing area should therefore be done in accordance with a day for dogs, co-housed rabbits, and some livestock. For reptiles, small mammals, birds and horses, cleaning should be done once a day. Spot checks should also be scheduled several times per day. The beginning and end of shifts for different positions must be clear.

#### Feeding

The shelter manager and Animal Unit Lead will work together to obtain food for the animals as needed. Although donated food will arrive daily, keeping the diet consistent is important for reducing stress and cleaning requirements (diet changes can cause loose stools). The following guidelines for feeding should be considered or expanded.

#### Dogs

Dogs should be fed two times a day, approximately 10 to 12 hours apart. Wet food should be avoided if possible, to limit diet-related diarrhea. If an animal refuses to eat after the first 24 hours in a facility, a spoonful of wet food may be added for taste.

#### Cats

Cats should be fed twice per day, approximately 10 to 12 hours apart. Wet food should be provided to kittens under four months old but avoided for adults if possible, to limit diet-related diarrhea. If an animal refuses to eat after the first 24 hours in a facility, a spoonful of wet food may be added for taste.

#### Rabbits/Small Mammals

Rabbits and other rodents should be fed non-rich diets. The home diet should be continued if known. Rabbit diets should consist of hay (oat or timothy) and green rabbit pellets.

#### Reptiles/Amphibians

Care must be taken to identify not only the correct food source for reptiles but also the correct presentation and time of feeding. Additionally, co-housed snakes and many lizards must be separated at feeding times. Diets vary significantly among species and according to the size and age of an animal. If possible, home diets should be continued.

#### Domestic Birds

Birds should be fed twice daily but must be monitored for food intake regularly. If a bird is not eating the diet given, alternatives must be tried until a diet is found that the bird will eat. Whenever possible, a bird's diet should remain the same as the diet at home. Food must be provided by the owner, found in the owner's home, or found in the bird's food dish as a guideline for its diet.

#### Horses/Equine

Horses should be fed small amounts of food several times per day. They should be fed locally grown high quality grass hay. Meals should consist of no more food than a horse can consume in an hour. Additional information can be found on the CVET website:

https://cvet.vetmed.ucdavis.edu/sites/g/files/dgvnsk13661/files/inline-files/CVET%20Large%20Animal%20Care%20and%20Feeding%20Guide%2009\_2023.pdf

#### Chickens/Other Fowl

Chickens should be given commercial chicken feed twice per day. The chicken's normal diet should be followed if known.

#### Livestock/Farm Mammals

- ➤ Goats: The diet should consist of commercial goat feed (non-medicated), a plant fiber source, and a salt block. Unless housed in pens that allow access to plant material, goats require a supplement of leafy hays or legumes. Goats should be fed twice a day rather than allowing the animals to free feed.
- ➤ Sheep: The diet should consist of commercial sheep feed (non-medicated), a plant fiber source, and a salt block. Unless housed in pens that allow access to grasses, sheep require a supplement of grass hay. Sheep should be fed twice a day rather than allowing the animals to free feed.
- > Swine: Pigs should be fed twice a day. An appropriate standard diet consists of a non-medicated commercial pig feed and a small amount of alfalfa hay.
- > Additional information can be found on the CVET website:

https://cvet.vetmed.ucdavis.edu/sites/g/files/dgvnsk13661/files/inline-files/CVET%20Large%20Animal%20Care%20and%20Feeding%20Guide%2009\_2023.pdf

#### **Animal Transportation**

Animals may need to be moved out of temporary shelters. This section addresses transport and shipping issues. The assumption is that only canines and felines will need to be transported and all other animals will stay at the temporary shelter. At each shelter, staff will establish Exit Station protocols to address the following functions for both dogs (Table 1) and cats (Table 2):

Table 1: Dog Exit Station Protocol

Step	Function Function		Supplies
1	Direct walkers to appropriate animals	1	To-go list
2	<ul> <li>Check microchip; make sure records match.</li> <li>If incorrect, place the animal back in crate and notify shelter manager.</li> <li>If correct, write transport number (sequential based on carrier) on shipping collar and animal records; attach collar and send dog to transport station; bring animal's records with animal to station</li> </ul>	2	Two chip readers, Record portfolios, Masking tape, and collars (Red Indicates Aggressive)
3	Once at Transportation, verify matching transport number on collar and carrier. Confirm matching records. If incorrect, contact Shelter Manager. If everything is correct give portfolio to walker.	4	Leashes, Water, Bowls
4	Walk and water dogs nearby	2	Leashes, Water, Bowls
5	Write transport number on kennel with magic marker, hand animal record to driver, put dog in kennel	2	Hole punch, Markers
6	Load kennel into truck	2	Forklift operator, Animal Walkers, Leashes

**Table 2: Cat Exit Station Protocol** 

Step	Function	Staff	Supplies
1	Using heavy duty gloves, take cat out of kennel	2	Heavy Duty Gloves
2	<ul> <li>Check microchip; make sure records match.</li> <li>If incorrect, place the animal back in kennel and notify shelter manager.</li> <li>If correct, write transport number (sequential based on kennel) on shipping collar and animal records</li> </ul>	2	2 chip readers, Boxes of portfolios, Collars Scissors, Pens
3	Attach records with zip tie; attach collar and send cat to transport station; bring animal's records with animal to station	2	Hole punch, Zip ties Markers
4	Load kennel into truck	2	

Transportation guidelines for the primary transport enclosure/carrier:

- Should be strong enough to securely contain the animal. The animal should not be able to reach outside the enclosure in a way that could result in injury to itself, to its handlers, or to other persons or animals nearby.
- Should have no sharp points or missing pieces in anything (e.g., wall, floor) that could cause injury.
- ➤ Should be large enough so that the animal has enough space to turn about normally while standing, to stand and sit erect, and to lie in a natural position. The animal should not have to crouch when sitting or standing.
- Should have a solid, leak-proof bottom or a removable, leakproof collection tray under a slatted or mesh floor.
- Must contain enough previously unused litter to absorb and cover excreta unless the dogs or cats are on raised, slatted floors, or raised floors made of mesh; litter must be of a suitably absorbent material that is safe and nontoxic to dogs and cats.
- Must allow the dog or cat to be removed easily and quickly from the enclosure in an emergency.
- Must have exterior handles or handholds that enable the enclosure to be lifted without tilting and ensure that anyone handling the enclosure will not come into contact with the animal.

The animal transport vehicle for all species:

- ➤ Must not fall below 45 degrees Fahrenheit (°F) or rise above 85°F for more than 4 hours.
- Must adequately protect the animals from exposure to the elements.
- Must have paint, preservative, treatment, or other chemical or material used in or on the enclosure that is nontoxic to the animals and not harmful to their health or well-being.
- Must allow proper ventilation for the animals and not block airflow.

During surface transportation (ground or water), animals must be checked every 4 hours for sufficient air flow and temperature and to observe for illness, injury, or distress. If indicated, veterinary care must be provided for the animals in an appropriately timely manner. Horse trailers cannot be used as open containers for the transport of small animals. Any small animals must be in a transport container, then can be transported within the trailer.

#### Livestock Management

It is the primary responsibility of horse and livestock owners to plan for appropriate evacuation and sheltering of their animals. In many cases, the County will work with local farmers and neighbors in the transportation and sheltering of livestock animals. In the event of a biohazard or zoonotic disease that affects the livestock or agriculture population, local County authorities will coordinate efforts with the local Agricultural Commissioner and the CDFA for response and disaster management.

Coordination with local livestock and equine groups for the evacuation and sheltering of large animals at a predesignated site such as the Sacramento County Fairgrounds or other large boarding facility.

#### Commercial Animal Agriculture Operation Access

In the event of a large-scale emergency, disaster or public health emergency access to large scale commercial agriculture operations will be granted through the Agricultural Pass permit process. Access will be granted only to verifiable commercial operations and not small farms or ranches. Access will be granted on a case-by-case basis through pre-established procedures.

Permitting access to commercial agricultural operations ensures biosecurity measures are maintained, containment for the animals is

intact, waste management procedures and animal welfare concerns are addressed. Continuity of agricultural operations is of the utmost importance. In the event of any activism and or suspicious Agro Terrorism threats or activities, law enforcement and federal authorities will be notified for a coordinated response.

#### **Animal Documentation Guidelines**

Animal shelter support personnel are responsible for reporting shelter activity data to the EOC. Occupancy counts two times a day (morning and evening) are necessary for reporting and safety accountability. Daytime counts may be added at the discretion of the Animal Shelter Management Teams in response to individual security needs. Because multiple agencies may be operating shelters within the incident area, the Animal Shelter Support Coordinator must ensure that agencies are sharing activity information with DOC (Department Operation Center) and the EOC to prevent data from being counted twice.

Animal shelter information that is reported involves a variety of formats, including:

- Manual status report
- Animal shelter database
- Animal shelter status boards, updated daily, including the following information:
  - Total number of animal shelters open
  - Total number of animals in care at all sites
  - Total number of new animals in care at all sites

#### > Site information

- Name of shelter
- Lead agency
- Site address
- Number of animals in occupancy
- Number of new animals in occupancy
- Capacity by species and animal type
- Percentage of capacity filled
- Name of site manager and point-of-contact information
- Site status (e.g. open, closed, stand-by)

It is also critical to create a filing system for the documentation that is created at the animal shelter. A folder and binder system works well. Ideally, laptops and forms uploaded and populated hourly/daily are highly suggested. All animal records and associated documentation

should go into a folder and should be in the same order in each folder. If an animal is onsite, the folder should have a green dot. If the animal has been transported elsewhere, a red dot should be used. If the animal has been moved into a foster home or contingent-adoptive home, a yellow dot should be used. Color coding the folders will facilitate tracking the folders and animals.

Binders/Date input may be used to store and access other information, such as:

- Lost animal information
- Owned animals
- Reclaimed animals
- > Stray animals

#### **Utilization of Animal Rescue Volunteers**

Animals in disaster usually bring forth an outpouring of volunteers who want to help. Dealing with animals, particularly in stressful or chaotic situations such as disasters, requires special skills. Volunteers who handle animals need to have experience or training in this area. Several national, state, and local groups offer training programs. Local shelters and animal control agencies are also encouraged to train their own volunteers to assist with the care and sheltering of volunteers in a disaster.

#### **DEMOBILIZATION**

When the EOC determines that a temporary animal shelter should be deactivated, several key activities are required:

- ➤ Plan for closing the shelter should begin almost as soon as the shelter is set up.
- ➤ Recognize that the need for the emergency shelter will wane as the community begins to move from the response to the recovery phase. It is best to begin to think about the "arc" of the operations and consider how and when to demobilize as part of the initial planning. Help the community understand that this shelter is a temporary resource.
- ➤ The actual demobilization date may change from the original plan. However, it is important to have thought through, and begun to prepare for, the closing of the shelter and the myriad concerns that go with that operation.

#### Shelter Closures

Closing a temporary animal shelter is usually coordinated with the closure of human shelters. The following activities must be coordinated:

- Communication and coordinated efforts allow animals to be reunified with their owners or to be matched with foster groups
- Simultaneous closure of multiple shelters
- Reunify all animals with owners or foster homes
- Break down cages and kennels
- Remove paper and tarps from walls and floors
- Sweep and mop floors
- Clean and properly sanitize all surfaces
- Remove signage
- Create a punch list of any items that may need to be repaired and or replaced
- Final walk through of facility with owner to assure clean-up is acceptable

#### Redistribution of Supplies

Remaining supplies should be inventoried, returned to the owner, or disposed of properly or donated. This activity is important for reimbursement.

#### Removal and Disposal of Animal Carcasses

Although all efforts should be made to use a freezer or refrigerated truck to store dead animals, it may not be possible. If a freezer or refrigerated truck is not available, the animals must be securely tied in several thicknesses of plastic bags and kept at a distance to not pose a health risk. Fly spray should be used often. The animals should be moved to a freezer at the shelter when possible or picked up by an animal disposal company.

#### **Procedures for Unclaimed Animals**

Every shelter will need procedures for unclaimed animals. An animal may be adopted, transferred, or euthanized, but the procedures must be consistent with local laws. The procedures must be communicated to local rescue groups and the public. Holding periods of 30-60-90 days are determined by the lead agency. Circumstances such as disaster impacts, facility access, animal care staffing and the humane welfare of the animals must be taken into consideration. Upon conclusion of the established holding period, animals are available for transfer to other animal shelters or recognized rescue groups for

adoption and or fostering. Euthanasia options may be considered for the best interest of the animal.

#### Final Data Collection

Any remaining data, reports, or documents should be collected to ensure that a complete record of logs, transactions, analyses, and other information is in one place. Information management for the following:

- Animal movement tracking
- > Records retention
- Health certificates for interstate movement of animals
- Detailed written records for eligible expenses
- > Public information
- Volunteer registration forms/waivers/time keeping

#### **ANNEX MAINTENANCE**

The process for maintaining the Annex is described in this section. The discussion identifies who receives and reviews the Annex, how updates are to be integrated into the Annex, how the Annex is tested, what type of training and exercises are developed to enhance understanding and execution of the Annex, and how after-action review is conducted after the Annex has been implemented, whether as part of an exercise or in response to a real emergency.

#### Annex Distribution

Once completed and approved, the Animals in Disaster Annex for Sacramento County is distributed throughout the OA. Printed and electronic copies are also delivered to the EOC in Sacramento County and to other agencies and departments in Sacramento County. Electronic versions of the Final Annex are also distributed to each of the regional and/or local offices with major roles to play in animal care and sheltering.

#### Annex Updates

Sacramento County is responsible for the maintenance, revision, and distribution of the Sacramento County Animal Sheltering Annex. Sacramento County OES annually assesses the need for revisions to the Annex based on the following considerations:

- ➤ Changes to local, State, or Federal regulations, requirements, or organization;
- > The need for additional subsidiary plans to develop regional

- response capabilities or eliminate gaps in capabilities, as suggested by Mutual Aid Regional Advisory Committee members; and
- Implementation of tools or procedures that alter or improve on annex components.

Sacramento County maintains the record of amendments and revisions (the Record of Changes table in the front of this document), as well as executable versions of all documents, and is responsible for distributing the Annex to all applicable agencies.

#### Annex Testing, Training, and Exercises

Exercising the Annex and evaluating its effectiveness involves using training, exercises, and evaluation of actual disasters to determine whether goals, objectives, decision, actions, and timing outlined in the Annex led to a successful response.

Exercises are the best method of evaluating the effectiveness of an annex and are also a valuable tool in training emergency responders and government officials to become familiar with the procedures, facilities, and systems that they use or manage in emergency situations. Exercises are conducted on a regular basis to maintain readiness.

#### **AUTHORITIES AND REFERENCES**

Sacramento County Emergency Operations Plan 2022

Pets Evacuation and Transportation Standards (PETS) Act (PL 109-308)

AB 450, Sec. 8608 of the Government Code California Animal Response Emergency System (CARES)

Americans with Disabilities Act, 1990

California Emergency Services Act; California Government Code § 8550 et seq.

Standardized Emergency Management System; California Code of Regulations, Title 19, Division 2, Chapter 1

State of California Emergency Plan, October 2017

Standardized Emergency Management System Guidelines, November 2009

National Incident Management System, FEMA, December 2008

National Response Framework, Second Edition, Federal Emergency Management Agency, October 2019

#### **ATTACHMENTS**

Attachment 1: Animal Intake Form

Attachment 2: Animal Feeding Guidelines

Attachment 3: Animal Care Log

Attachment 4: Behavior Log

Attachment 5: Medicine Log

Attachment 6: Emergency Release

Attachment 7: Animal Release Foster Care

Attachment 8: Euthanasia Form

Attachment 9: Capabilities Matrix

#### Sacramento County Animal Care Services **Emergency Shelter Animal Intake Form** Entered by: Time: Date: ID#: Location: Crate#: Microchip#: **Primary Owner Information** Last Name: First Name: Home Address: **Temporary Address:** Landline Phone: Cellular Phone: Email address: Has animal displayed aggression Has Animal bitten in last 10 Days? toward people or animals? ☐ Yes □ No ☐ Yes ☐ No Explanation: List any other individual with authority to make all decisions regarding care (including veterinary care): Name: Phone: Owner Surrender Request Surrender for adoption Surrender for euthanasia Temporary Housing ☐ Yes ☐ Yes ☐ Yes ■ No ■ No ■ No Animal Found by: **Animal Control Officer** Shelter Staff/Volunteer Private Citizen ☐ Yes ☐ Yes Yes ■ No ■ No ■ No Method of Intake ■ Brought to shelter ■ In-field ■ Other **Location Found:** Address City State Zip Finders Name and Contact Information

SACRAMENTO COUNTY 1
(5/21/2024)

### Sacramento County Animal Care Services Emergency Shelter Animal Intake Form

Animal Intake Form					
Address					
City State Zip					
	imal Information				
Animal Name:	Species:				
Breed:	Color:				
☐ Male	☐ Female				
☐ Neutered	☐ Spayed				
☐ Unknown	☐ Markings/other:				
	ATION PICTURES (FACE & PROFILE)*				
Unless owner refuses, cats and dogs without	t a microchip must be implanted with one during intake and documented.				
ldenti	ification Information				
Tags:	Tag Info:				
☐ Yes ☐ No					
Microchip: Chip #:	Company:				
☐ Yes ☐ No					
Tattoo:	Tattoo #:				
Other identifier:	I				
Vaccina	ation Expiration Dates				
Rabies date:	Distemper/Parvo (canine):				
FeLV/FVRCP (feline):	Other:				
Bordetella date:	☐ Horse				
	Chicken				
	Other Other				
Dewormer date:	External Parasite Control date:				
Special Needs/Allergies:					
Special Needs/ flergies.					
Known Medical Conditions:					
Medication #1:	Dosage: Date:				
Medication #2:	Dosage: Date:				
Medication #3:	Dosage: Date:				

SACRAMENTO COUNTY

(5/21/2024)

#### Sacramento County Animal Care Services **Emergency Shelter**

#### **Animal Feeding Guidelines**

**Animal Feed Calculation Protocols** Standard Operating Procedures for an Emergency

#### **Cat Feeding Protocol**

Assume 4kg average weight and 90Kcal/kg energy requirement (according to NRC) = 360 Kcal per day. Since cat food averages about 400 Kcal/8oz of dry food, you can use that figure, 5.5 oz cans of wet food

Horses Feeding Protocol
*Most canned dog food comes in 13.2 oz cans in boxes of 12 cans
# of dogs x 0.5 = 13.2 oz cans of dog food per day
# of dogs x 0.75 = pounds of dog food daily if feeding dry food mixed with canned food.  *Most dry dog food comes in 40 lb bags  **Most Pag Food Requirement*
# of dogs x 1.25 = pounds of dry dog food daily if feeding ONLY dry food
Dry Dog Food Requirement
Dog Feeding Protocol  Assume 20 kg average and 50Kcal per Kg = 1000 Kcal per day Dry dog food averages about 350 Kcal per cup, so that's just under 3 cups (20 oz) or 1.25 lb. Canned dog food averages 13.2 oz per can with 29 calvoz and if you feed ½ can per day, that would be 200 kcal which would lower your requirement to 2 cups of dry food per day or 0.75 lbs.
# of cats x 0.25 = 5.5 oz cans of cat food per day. *Most canned cat food comes in 24 can boxes at 5.5 oz per can
Wet Cat Food Requirement
# of cats x 7 oz = ounces per day / 16 = pounds per day of dry cat food and canned cat food. *Most dry cat food comes in 20 lb bags
# of cats x 8 oz = ounces per day / 16 = pounds per day of dry cat food if ONLY feeding dry food.
Dry Cat Food Requirement
average about 200 cal and if you feed 1/4 can per day per cat, that would be 50 Kcal and reduce dry food to 7oz per day.
J 1

NRC guidelines indicate that a horse averaging 1,100 lbs of body weight requires 16.4 MCal per day to maintain body weight at rest. As a general rule, one can assume that alfalfa has 1.2 MCal per pound, oat hay 0.9 MCal per pound, and grass hay 0.9 MCal per pound. General recommendations also indicate that a horse should consume in hay 1 to 1.5% of its body weight per day (11 to 16.5 pounds). That equates to around 6 to 9 pounds of hay per feeding if feeding twice daily.

SACRAMENTO COUNTY 1

### Sacramento County Animal Care Services Emergency Shelter

#### **Animal Feeding Guidelines**

Alfalfa Hay (1.2 MCAL/ lb): 14 pounds required per day to meet DE requirements (7 pounds twice
daily is roughly equivalent to 1 flake twice daily.)

- Oat Hay (0.9 MCAL/ lb): 18 pounds required per day to meet DE requirements (9 pounds twice daily is roughly equivalent to approximately 1.5 flakes twice daily.)
- ☐ Grass Hay (0.9 MCAL/ lb): 18 pounds required per day to meet DE requirements (9 pounds twice daily is roughly equivalent to approximately 2 flakes twice per day)

#### Assumptions:

- \*Only hay will be fed to horses being sheltered during disasters
- \*Shelters will feed a minimum of 2 times per day
- \*There are approximately 12 to 14 flakes in a bale (a small 3 string bale weighs approximately 110-135 pounds
- \*Approximately 16 small bales (3 string) = 1 ton

#### **Cattle Feeding Protocol**

Body Weight	Dry Matter Intake, (lb) of hay
1100	25.1
1200	26.5
1300	30.7
1400	32.4
1500	34.1
1600	35.8
1700	37.5
1800	39.1
1900	40.8
2000	42.2

#### Water Guidelines All Animals

Ideally, animals should be allowed free choice access to water to account for variations in weight, metabolism, reproductive/ lactation status, disease and environmental conditions such as ambient temperature. For purposes of emergency planning, the numbers below provide a minimum requirement for planning purposes:

	attered to purposes of emergency planning, the name of below provide a minimal requirement for
nnin	g purposes:
	Small animals (dogs, cats) – 2 liters/day/pet
	Birds and other small pets – 1 liter/day/pet
	Large breed dogs (>50 pounds) will require 4 liters/day
	Lactating animals will require 4 liters/ day
	Horses (mini's, ponies and large horses) 5 to 36 gallons day/animal
	Cattle 4 to 48 gallons day/animal

SACRAMENTO COUNTY 2

### Sacramento County Animal Care Services **Emergency Shelter** Animal Care Log Form ID#: Crate#: Microchip#: Location: Animal Name: Species: Description: Owner Name: Phone: Animal is currently on medication: NO YES (If YES, see Medication Log Form for medications and dosage) Walked Fed (U)rinated Comments Initials Date Cage (D)eficated Cleaned SACRAMENTO COUNTY (5/21/2024)

# Sacramento County Animal Care Services Emergency Shelter Animal Care Log Form

	_		
	_		

NOTES:

SACRAMENTO COUNTY

# Sacramento County Animal Care Services Emergency Shelter Behavior Log Form

- ······						
ID#:	Location:	Crate#:	Microchip#:			
Animal Name:		Species:				
Description:						
Owner Name:		Phone:				

Date / Time:	Behavior:	Initials:

SACRAMENTO COUNTY

1

# Sacramento County Animal Care Services Emergency Shelter Medication Log Form

		3						
ID#:	Location:	Crate#:	Microchip#:					
Animal Name:		Species:						
Description:								
Owner Name:		Phone:						

Date	Medication / Dosage	AM Staff	Mid-day Staff	PM Staff

SACRAMENTO COUNTY

(5/21/2024)

# Sacramento County Animal Care Services Emergency Shelter Emergency Animal Release Form

ID#:		Location:	Crate#:	Microchip#:									
Anima	al Name:	Species:	Color:										
	☐ I/the animal owners hereby request the emergency quartering of the animal being evacuated because of a pending or occurring disaster.												
	I/the animal owners hereby release the person or entity who is receiving the animal (hereinafter "animal caregivers") from any and all liability regarding the care and quartering of the animal during and following this emergency.												
	I/the animal owners acknowledge that if emergency conditions pose a threat to the safety of the animal, additional relocation may be necessary, and this release is intended to extend to such relocation.												
	I/the animal owners acknowled emergency cannot be eliminate which may be incurred in the tre	ed and agree to be resp	onsible for any vet	<u> </u>									
pre ass with	[Initial] Microchip  I, the undersigned, understand that a microchip may be administered to my animal(s) (if not already present) to help identify my animal(s) and my ownership of my animal(s). Insertion of a microchip will assist in the reunification process following a disaster event. I understand complications associated with microchip placement are exceedingly rare but can include infection, spinal trauma, or other complications.												
she I ar disc pre	I, the undersigned, understand that my animal may be exposed to diseases and other risks while being sheltered and that my animal(s) may be evaluated for needed veterinary care. If determined necessary I am giving consent and understand that veterinary care may be provided to my animal(s) at the discretion of, and if veterinary staff are available, to prevent spread of parasites, prevent spread of disease (including the administration of vaccines), to relieve pain and suffering, to provide life-saving care, and/or for other conditions and situations as determined appropriate.												
regardii emerge	nimal becomes ill, the animal can ng the animal's symptoms, treati ency proves serious enough to re should the animal require furthe	ment options, and estirequire transport to a ve	nate of costs. In the	e event the									
	Please perform whatever services the doctor deems necessary for the best care of the animal until I can be reached. This includes only non-elective treatments and necessary diagnostic tests.												
	Please do not administer any manage my animals as judge	nedical treatment until s n a timely fashion. In su	specific authorization ch a case, I do aut	on is given unless the thorize the shelter to treat									

SACRAMENTO COUNTY 1

## Sacramento County Animal Care Services Emergency Shelter Emergency Animal Release Form

If an animal is not claimed within thirty (30) days (unless prior arrangements have been made), the animal owner will be notified of possible adoption or relocation.

ID#:	Location:	Crate#:	Microchip#:
Animal Name:	Species:	Color:	
Owner Name:			
Address:			
Phone:			
Signature:			

The animal owner is responsible for keeping the animal caregivers informed of where the animal owner can be contacted during the emergency.

SACRAMENTO COUNTY 2


### Sacramento County Animal Care Services Emergency Shelter Animal Release – Foster Care Form

The animal described below has been released from care at the Field Shelter and will be transferred and cared for by the foster caretaker named below. Unless owner refuses, cats and dogs without a microchip

must be implanted wit	h one during intake and d	ocumented.						
ID#:	Location:	Crate#:	Microchip#:					
Animal Name:		Species:	Breed:					
<ul><li>□ Male</li><li>□ Neutered</li><li>□ Unknown</li></ul>		☐ Female☐ Spayed☐ Unknown	Color:					
Animal Description								
Req'd Medical Treat	ment							
Owner Name:								
Address:								
Phone:								
Foster Name:								
Address:								
Phone:								
THE UNDERSIGNED FOSTER CARETAKER HEREBY ACKNOWLEDGES RECEIPT OF THE ABOVE DESCRIBED ANIMAL AND AGREES TO PROVIDE HUMANE CARE, ADEQUATE SHELTER, AND FOOD TO THIS ANIMAL WHILE IN HIS/HER FOSTER CARE AND AGREES TO HOLD HARMLESS ALL PERSONS, ORGANIZATIONS, OR GOVERNMENT AGENCIES INVOLVED IN THE RESCUE, CARE, AND SHELTERING OF THIS ANIMAL. THE ANIMAL'S OWNER AGREES TO BE RESPONSIBLE FOR ANY VETERINARIAN, FOOD, OR CARE EXPENSES INCURRED DURING THE FOSTER CARE PERIOD.								
Foster Signature:			Date:					
Owner Signature:			Date:					
Witness Signature: Date:								
Witness Name (print)	:		Date:					
			·					

SACRAMENTO COUNTY (5/21/2024)

1



SACRAMENTO COUNTY

## Sacramento County Animal Care Services Emergency Shelter Euthanasia Form

Euthanasia Form											
ID#:	Location:	Crate#:	Microchip#:								
Animal Name:		Species:	Species:								
Description:											
Owner Name: Phone:											
	Animal He	alth Summary									
Attending Veterinarian:			Phone:								
Reason for Euthanasia D	ecision:										
	Owner Cor	ntact Attempts									
Number Called:		Date/Time:	Msg Left: Yes No								
Number Called:		Date/Time:	Msg Left: Yes No								
Number Called:		Date/Time:	Msg Left: Yes No								
We the undersigned do hereby agree that euthanasia for the above-described animal was necessary under these emergency circumstances either to relieve pain or suffering or for the emergency preservation of public health and safety.  Print Name:  Date:  In cases where the owner is present or has provided authorization by phone:  I, the undersigned, do hereby certify that I am the owner (or duly authorized agent for the owner) of the animal described above, and I do hereby give permission to end the life of said animal in a manner											
consistent with current standards of veterinary care. I do hereby release											
Print Name:		Date:									
Witnessed By: (Print Name)		Date:									

SACRAMENTO COUNTY 1

(5/21/2024)

	Transfella (Transfe													
Administrative AGENCY	I LINECTOCK TOAH ED	* TOWNSHIOLES	ALABOE ANIMALO EVACUATE (A TRIP)	Transportation / Evacuation	A CAMALL ANIMALIC FLACULATE (A TOUR)	AND ECONOMIC TO TRAVEL FOR CHALLETON	Equipment / Services  ADMINISTER VACCINES / MEDS  # WATER / FEED TROUGH  # SMALL / MED KENNELS  # LARGE KENNELS  VETERINARIAN					N ADDITIONAL		
AGENCY	# LIVESTOCK TRAILER	# TOW VEHICLES	# LARGE ANIMALS EVACUATE (TTRIP)	MILES WILLING TO TRAVEL FOR LRG ANIMAL EVAC	# SMALL ANIMALS EVACUATE (TTRIP)	MILES WILLING TO TRAVEL FOR SMALL EVAC	MICROCHIP SCANER	ADMINISTER VACCINES / MEDS	# WATER / FEED TROUGH	# SMALL / MED KENNELS	# LARGE KENNELS	VETERINARIAN	ADDITIONAL	
													1	
												İ		
												İ		
												İ		
													1	
												İ		
							1				1		1	
													1	
							1				1		1	
													1	
							1				1		1	
													<del>                                     </del>	
													1	
													1	
l -												<del>                                     </del>	<del></del>	
													<del>                                     </del>	
<del>                                     </del>													<del>                                     </del>	
<del>                                     </del>												<del>                                     </del>	<del></del>	
<del>                                     </del>												<del>                                     </del>	<del></del>	
<del>                                     </del>							<del> </del>				1		+	
<del>                                     </del>													<del>                                     </del>	
	1	l	1				1		l	1	1	l	1	

Administrative											Personnel								
COUNTY	AGENCY	ADDRESS	POINT OF CONTACT	OFFICE NO	MOBILE NO	AGMINISTRATIVE AFTER-HOURS	AFTER-HOURS NO	FMAII	WERSITE	MOLLW/COLINTY?	SERVICE AREA	ANIMAL TYPE SPECIALTY	# OF VOLUNTEERS	# DEPLOYABLE VOLUNTEERS	S I # REGISTERED DSWs	AVERAGE RESPONSE TIME	NOTE OF THE PROPERTY OF THE PR	AVERAGE DEPLOYMENT TIME	LENGTH OF RESPONSE OPERATIONS SUPPORT CAPABILITY
						AFTER-HOURS CONTACT													
-									-										
									l										
				-										-					
															-				
									l										
-									-										
									l										
															-				
H											l				1				
		-																	
									l						1				